

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	214394	(solenoid or coil) with (housing or carrier or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	41721	(stator) with (housing or carrier or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	6710	1 same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	218	3 and (fuel adj injector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	37203	((cavity or chamber or gap or space) with (deflect or defection or deflecting or distort or distortion or distorting or deflected or distorted or expand or expanded or expanding or expansion or expands or distorts or deflects)) same (piston or ram or plunger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	10073	5 and (solenoid or coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	46	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	38	7 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	1695	5 and (fuel adj injector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	645	9 and (solenoid or coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	199	(1 or 2) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	191	11 not (4 or 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2005/07/01 18:13			
2	2005/07/01 17:26			
3	2005/07/01 17:27			
4	2005/07/01 18:40			
5	2005/07/01 18:07			
6	2005/07/01 18:42			
7	2005/07/01 18:14			
8	2005/07/01 18:14			
9	2005/07/01 18:15			
10	2005/07/01 18:16			
11	2005/07/01 18:16			
12	2005/07/01 18:17			

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	7	("5474234"   "5803369"   "5897058"   "5901686"   "5992768"   "6260776"   "6666390").PN. OR ("6880766").URPN.	US-PGPUB; USPAT; USOCR
14	BRS	L14	19	("2809621"   "3704694"   "3812829"   "4020803"   "4058091"   "4539950"   "5022357"   "5119772").PN. OR ("5197428").URPN.	US-PGPUB; USPAT; USOCR
15	BRS	L15	14	("2881980"   "4347823"   "4572436"   "4807812"   "4813610"   "4883252"   "4958773"   "4958774").PN. OR ("5348233").URPN.	US-PGPUB; USPAT; USOCR
16	BRS	L16	0	("2004/0021016").URPN.	USPAT
17	BRS	L17	0	("2004/0195348").URPN.	USPAT
18	IS&R	L18	462	((137/15.01) or (137/15.18) or (137/15.21)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	3	18 and (fuel adj injector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	96	18 and (solenoid or coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	364	18 not (19 or 20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
13	2005/07/01 18:27			
14	2005/07/01 18:28			
15	2005/07/01 18:34			
16	2005/07/01 18:37			
17	2005/07/01 18:37			
18	2005/07/01 18:40			
19	2005/07/01 18:40			
20	2005/07/01 18:45			
21	2005/07/01 18:45			

	Type	Hits	Search Text
1	IS&R	676	(251/129.16) .CCLS.

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/07/01 17:13		

	Errors	Ref #
1		S1

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	378	((stator) with (carrier or housing or body)) same ((ball or check) with valve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	23	1 and (fuel adj injector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Time Stamp	Comments	Error Definition	Errors
1	2005/07/01 19:48			
2	2005/07/01 19:49			